



WÜRTH

PROFESSIONAL SOLUTIONS

OIL RANGE

Choose your best oil
Choose Würth

DECADES OF MASTERY | TRANSFORMATIONAL RESILIENCE



OIL RANGE

HIGH-PERFORMANCE OIL FROM WÜRTH

Würth supplies high-quality oils developed and produced in Serbia in compliance with the most stringent quality standards. With more than 20 years of experience in the oil market, we do our very best for you, day in and day out. The service life of your vehicle's engine heavily depends on the quality of the engine oil you use.

We don't just supply engine oils for passenger cars. We also offer oils specifically designed for classic car engines and utility vehicles, oils for trucks, gearbox oil, and coolant.

Choose your best oil. Choose Würth.
Only the best for your vehicles, whatever they're used for.



APPROVALS AND RECOMMENDATIONS – WHAT FOR?

A wide range of requirements are placed on modern engine oils. They have to lubricate, clean, neutralize, seal, cool and protect against corrosion.


To handle this wide variety of tasks, each engine oil must be chosen specifically for the engine it will be used with.




- ▶ High-quality oil boosts engine performance and efficiency, providing more power without extra fuel use.
- ▶ Endorsed by top manufacturers for extending engine life and maintaining peak performance.

5W-40 PETROL		Fully-synthetic	
Approvals API SN / CF, ACEA A3 / B4 MB 229.3 / MB 229.5 VW 502 00 / VW 505 00 BMW LL-01 / Porsche A40 Renault RN0700 / RN0710 PSA B71 2296; FIAT 9.55535-N2-M2 API SN/CF ACEA A3/B4	Content	Art. No.	
	4 Liters	0897540004	
	208 liters	0897540208	




10W-40 PETROL		Semi-synthetic	
Approvals API SL API CF MB-229.1 Volkswagen VW50101 (2005) Volkswagen VW50500 (1997) ACEA A3/B4-04 (2004) API SN/CF ACEA A3/B4	Content	Art. No.	
	4 Liters	0897104040	
	208 liters	0897104208	

5W-30 PETROL		Fully-synthetic	
Approvals ACEA C3-08 (2008) MB-Approval 229.51 Volkswagen VW50400 (2004) Volkswagen VW50700 (2004) BMW Longlife-04 Porsche C30 C3	Content	Art. No.	
	4 Liters	0897530404	
	208 liters	0897530208	

0W-20 PETROL		Fully-synthetic	
Approvals ACEA C5 /C6 API SN Plus MB 229.71 Opel OV 040 1547 API SN ACEA C5/C6	Content	Art. No.	
	4 Liters	0897020404	
	208 liters	0897020208	



- ▶ High-quality oil boosts engine performance and efficiency, providing more power without extra fuel use.
- ▶ Endorsed by top manufacturers for extending engine life and maintaining peak performance.

5W-40 DIESEL		Fully-synthetic	
Approvals	Content	Art. No.	
API CK-4, CJ-4, CI-4+, CH-4, CF, SN, SM, SL ACEA E6, E7, E9, JASO DH-1, DH-2, DHD-1 MB 228.51, MB 228.31, CAT ECF-3, ECF-2, ECF-1a MTU 3.1, 2.1, MAN 3677, M3575, M3477, M3271-1 Cummins CES 20086 & CES 20081, DAF Extended Drain Volvo VDS-4.5, VDS-4.0, VDS-3, CNG, Ford WSS-M2C171-F1 Scania LA-2, LA, LDF, Deutz DQC IV-10 LA, DQC III-10 LA Detroit Diesel DFS 93K222, DFS 93K218 Renault RLD-4 & RLD-3, IVECO TLS E9, MACK EOS 4.5, EO-OPP API CK-4	4 Liters	0897054007	
	208 liters	0897504208	

10W-40 DIESEL		Semi-synthetic	
Approvals	Content	Art. No.	
API CK-4, CJ-4, CI-4+, CH-4, CF, SN, SM, SL ACEA E6, E7, E9, JASO DH-1, DH-2, DHD-1 MB 228.51, MB 228.31, CAT ECF-3, ECF-2, ECF-1a MTU 3.1, 2.1, MAN 3677, M3575, M3477, M3271-1 Cummins CES 20086 & CES 20081, DAF Extended Drain Volvo VDS-4.5, VDS-4.0, VDS-3, CNG, Ford WSS-M2C171-F1 Scania LA-2, LA, LDF, Deutz DQC IV-10 LA, DQC III-10 LA Detroit Diesel DFS 93K222, DFS 93K218 Renault RLD-4 & RLD-3, IVECO TLS E9, MACK EOS 4.5, EO-OPP API CK-4	4 Liters	0897104007	
	208 liters	0897104208	



- ▶ High-performance lubrication for noise-free operation and smooth gear transitions.
- ▶ Controls shudder and boosts vehicle drivability

AUTOMATIC TRANSMISSION OIL ATF DEXRON VI

Fully-synthetic

Approvals

Aisin Warner AW-1, BMW 83 22 0 142 516, BMW 83 22 2 152 426, BMW 83 22 2 289 720, BMW 83 22 2 305 396, BMW 83 22 2 305 397, BMW 83 22 2 355 599, BMW M-1375.4, Dexron VI, Fiat 9.55550-AV5, Ford Mercon LV, Honda ATF 3.1, Honda ATF DW-1, Honda Typ 3.0, Hyundai SP-IV, Hyundai SP-IV-RR, Isuzu ATF WSI, JASO 1A-LV, JWS 3324 (Aisin Warner), Land Rover TYK 500050, Mazda ATF FZ, MB 236.12, MB 236.14, Mitsubishi Dia Queen ATF-MA1, Mitsubishi Dia Queen ATF-PA, Nissan AT-Matic S Fluid, Nissan Matic P, Toyota WS, VW G 055 005, VW G 055 162, VW G 055 540, VW G 060 162

Content

4 liters

Art. No.

0897000040



AUTOMATIC TRANSMISSION



FULLY SYNTHETIC



60,000 KM



- ▶ Superior corrosion protection for metals and alloys, including aluminum engines.
- ▶ Advanced formula offers immediate, long-lasting protection, reduces deposits and foam, and is compatible with all cooling system parts.
- ▶ Exceptional thermal stability and hard water resistance.

COOLANT G11

Approvals	Content	Art. No.	Color	
SRPSH.Z2.010tipIII,hybrid, BS6580,ASTMD3306, BMWGS94000,FIAT/ IVECO 55523/1, Opel/General Motors L1301, Porsche, VOLVO 1286083 (produced before 2005), VW/Audi/Seat/Scoda-TL 774C Approved, MAN 324NF, MTU MTL 5048, MB 326.0	5 liters	5862011401	Green	
	5 liters	5862011402	Pink	

COOLANT G12

Approvals	Content	Art. No.	Color	
SRPS H.Z2.010 tip III, organski, BS 6580, ASTM D3306/4985, AFNOR NF R 15-601, VW/Audi/Seat/Skoda TL- 774D/F (G12/G12+), MB 325.3, MAN 324-SNF, Ford WSS-M97B44-D/E, Opel General Motors GM 6277M/B040 1065, MTU MTL 5048, Volvo Penta/Trucks 128 6083/002 (produced after 2005), Deutz 0199-99-1115/6, Waukesha, Wärtsilä	5 liters	5862012401	Green	
	5 liters	5862012402	Pink	

COOLANT G13

Approvals	Content	Art. No.	Color	
VW G13(VW TL774J)	5 liters	5862012401	Green	
	5 liters	5862012402	Pink	



BOILING POINT +105 °C



FREEZING POINT -18 °C



PH 7.5 - 9



Need more oil? No problem!

We'd be happy to supply you with the most common engine oils in drum(208 liters).

DRUM SUPPLY

Oil	Art. No.	
5W-40 PETROL	0897540208	Engine Oil
10W-40 PETROL	0897104028	Engine Oil
5W-30 PETROL	0897530208	Engine Oil
0W-20 PETROL	0897020208	Engine Oil
5W-40 DIESEL	0897504208	Diesel engine oil
10W-40 DIESEL	0897104208	Diesel engine oil





WÜRTH
5W-40

WÜRTH
PROFESSIONAL SOLUTIONS

OIL RANGE

CHOOSE YOUR BEST OIL ... CHOOSE WÜRTH

WÜRTH PROFESSIONAL SOLUTIONS LLC.

T: +971 (4) 559-3037

Email: info@wuerth-professional.com

Website: www.wuerth-professional.com

We reserve the right to make product alterations that, in our view, improve quality at any time without prior notice or dissemination. Illustrations may be published for example purposes only and the appearance of supplied goods may vary. We reserve the right to make errors. We do not accept any liability for printing errors. Our general terms and conditions of business apply.